

ANALYTICAL BIOCHEMISTRY

Methods in the Biological Sciences

Volume 190, 1990

EDITOR-IN-CHIEF

William B. Jakoby

EXECUTIVE EDITORS

Assistant to the Editor-in-Chief, William S. Allison

Shelby L. Berger

Ludwig Brand

Peter Brodelius

Prescott Deininger

Jack E. Dixon

Othmar Gabriel

Howard Goldfine

Owen W. Griffith

John A. Hanover

William F. Harrington

Tony E. Hugli

Richard D. Klausner

John H. Law

Y. C. Lee

Walter M. Lovenberg

William D. McElroy

EDITOR EMERITUS

Richard N. Perham

James F. Riordan

B. David Stollar

Clarence H. Suelter

Bert L. Vallee

Helen Van Vunakis

Arthur Weissbach

Alvin Nason, Founding Editor, 1960–1977

Nathan O. Kaplan and William D. McElroy, Editorial Committee Co-Chairmen, 1978–1986



ACADEMIC PRESS, INC.

Harcourt Brace Jovanovich, Publishers

San Diego New York Boston London Sydney Tokyo Toronto

Copyright © 1990 by Academic Press, Inc.
All Rights Reserved

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owner.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per copy fee through the Copyright Clearance Center, Inc. (27 Congress Street, Salem, Massachusetts 01970), for copying beyond that permitted by Sections 107 or 108 of the U. S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Copy fees for pre-1990 articles are as shown on the article title pages; if no fee code appears on the title page, the copy fee is the same as for current articles.

0003-2697/90 \$3.00

MADE IN THE UNITED STATES OF AMERICA

This journal is printed on acid-free paper.



CONTENTS OF VOLUME 190

NUMBER 1, OCTOBER, 1990

Review. Quantitative Characterization of Reversible Molecular Associations via Analytical Centrifugation	Allen P. Minton	1
High-Performance Tryptic Mapping of Recombinant Bovine Somatotropin	John J. Dougherty, Jr., Lynn M. Snyder, Robert L. Sinclair, and Russell H. Robins	7
Large-Scale Purification of Synthetic Oligonucleotides and Carcinogen-Modified Oligodeoxynucleotides on a Reverse-Phase Polystyrene (PRP-1) Column	Guanjin Huang and Thomas R. Krugh	21
Biotinylated Derivative of a Human Brain Lectin: Synthesis and Use in Affinoblotting for Endogenous Ligand Studies	Virginia Avellana-Adalid, Raymonde Joubert, Dominique Bladier, and Michel Caron	26
Assay of Tyrosine Protein Kinase Activity from HL-60 by High-Performance Liquid Chromatography for Specificity Studies	Gilles Ferry, Anne-P. Ernould, Annie Genton, and Jean A. Boutin	32
An <i>in Vitro</i> Model of Cell Migration: Evaluation of Vascular Endothelial Cell Migration	K. Jozaki, P. T. Marucha, A. W. Despins, and D. L. Kreutzer	39
Detection of Rat Ceruloplasmin Receptors Using Fluorescence Microscopy and Microdensitometry	Robert V. Stern and Earl Frieden	48
Removal of Artifactual Bands Associated with the Presence of 2-Mercaptoethanol in Two-Dimensional Polyacrylamide Gel Electrophoresis	Androniki Beis and Antigone Lazou	57
Immunochemical Detection of Adenine Nucleotide-Binding Proteins with Antibodies to 5'-p-Fluorosulfonyl-benzoyl adenosine	Michael Anostario, Jr., Marietta L. Harrison, and Robert L. Geahlen	60
A Filter Paper Dye-Binding Assay for Quantitative Determination of Protein without Interference from Reducing Agents or Detergents	L. S. Minamide and J. R. Bamburg	66
Determination of Tin in Biological Samples Using Gaseous Hydride Generation-Inductively Coupled Plasma-Atomic Emission Spectrometry	Katsuhiko Yokoi, Mieko Kimura, and Yoshinori Itokawa	71
Direct Quantitation of Biotin-Labeled Nucleotide Analogs in RNA Transcripts	Barbara J. Fenn and Timothy M. Herman	78
Enzymatic Assay of 3-Mercaptopyruvate Sulfurtransferase Activity in Human Red Blood Cells Using Pyruvate Oxidase	Masashi Nawata, Yuki Ogasawara, Koji Kawanabe, and Shinzo Tanabe	84
Fluorometric Determination of Urinary Kynurenic Acid by Flow Injection Analysis Equipped with a "Bypass Line"	Ken-ichi Mawatari, Fumio Iinuma, and Mitsuo Watanabe	88
Amino Acid Analysis of Collagen Hydrolysates by Reverse-Phase High-Performance Liquid Chromatography of 9-Fluorenylmethyl Chloroformate Derivatives	Edward J. Miller, Annie J. Narkates, and Marilyn A. Niemann	92
Assay of Aspartylglycosylaminase by High-Performance Liquid Chromatography	V. Kaartinen and I. Mononen	98
A Rapid Assay for 25-Hydroxyvitamin D and 1,25-Dihydroxyvitamin D 24-Hydroxylase	Maria Burgos-Trinidad, Alex J. Brown, and Hector F. DeLuca	102
Carbohydrate-Mediated Cell Adhesion to Glycoproteins Immobilized on Nitrocellulose	Annette C. Lochner, Franz-Georg Hanisch, and Gerhard Uhlenbruck	108
Fluorometric <i>in Vivo</i> Determination of <i>Bacillus subtilis</i> and Phage 2C DNA	Guy A. Daxhelet, Marianne M. Kohnen, Marc M. Coene, and Philippe P. Hoet	116
Isolation and Separation of the Glycan Strands from Murein of <i>Escherichia coli</i> by Reversed-Phase High-Performance Liquid Chromatography	Hartmann Harz, Knut Burgdorf, and Joachim-Volker Hölzje	120
Assay for <i>trans-p</i> -Coumaroyl Esterase Using a Specific Substrate from Plant Cell Walls	William S. Borneman, Roy D. Hartley, David S. Himmelsbach, and Lars G. Ljungdahl	129

Construction of a Fast, Inexpensive Rapid-Scanning Diode-Array Detector and Spectrometer <i>Thomas P. Carter, Haesun K. Baek, Lee Bonninghausen, Roger J. Morris, and Harold E. Van Wart</i>	134
Electrophoretic Analysis of Proteinases in Sodium Dodecyl Sulfate-Polyacrylamide Gels Containing Copolymerized Radiolabeled Protein Substrates: Application to Proenkephalin Processing Enzymes <i>J. W. Irvine, S. F. Roberts, and I. Lindberg</i>	141


NUMBER 2, NOVEMBER 1, 1990

Review. Nucleic Acid Sequence Analysis Software for Microcomputers <i>Gordon Cannon</i>	147
Determination of Saposin Proteins (Sphingolipid Activator Proteins) in Human Tissues <i>Satoshi Morimoto, Yoshimi Yamamoto, John S. O'Brien, and Yasuo Kishimoto</i>	154
High-Pressure, Anion-Exchange Chromatography of Proteoglycans <i>Diane A. Blake and Natalie V. McLean</i>	158
Direct Carbohydrate Analysis of Glycoproteins Electroblotted onto Polyvinylidene Difluoride Membrane from Sodium Dodecyl Sulfate-Polyacrylamide Gel <i>Haruko Ogawa, Miyoko Ueno, Haruhi Uchibori, Isamu Matsumoto, and Nobuko Seno</i>	165
A Small-Scale Plasmid Preparation Yielding DNA Suitable for Double-Stranded Sequencing and <i>in Vitro</i> Transcription <i>Keith R. Johnson</i>	170
Monitoring Exposure to 4,4'-Methylenedianiline by the Gas Chromatography-Mass Spectrometry Determination of Adducts to Hemoglobin <i>E. Bailey, A. G. Brooks, I. Bird, P. B. Farmer, and B. Street</i>	175
High-Performance Liquid Chromatography of Sialic Acid-Containing Oligosaccharides and Acidic Monosaccharides <i>WeiTong Wang, Karin Erlansson, Frank Lindh, Torgny Lundgren, and David Zopf</i>	182
A Filter-Based Protein Kinase Assay Selective for Alkali-Stable Protein Phosphorylation and Suitable for Acid-Labile Protein Phosphorylation <i>Ying-Fei Wei and Harry R. Matthews</i>	188
Isolation of Transcriptionally Active Nuclei from Striated Muscle Using Percoll Density Gradients <i>Chang-Gyu Hahn and Jonathan Covault</i>	193
Comparative Gas Phase and Pulsed Liquid Phase Sequencing on a Modified Applied Biosystems 477A Sequencer <i>Marc Baumann</i>	198
Modification of a Discontinuous and Highly Porous Sodium Dodecyl Sulfate-Polyacrylamide Gel System for Minigel Electrophoresis <i>Jean-Pierre Doucet, Brian J. Murphy, and Balwant S. Tuana</i>	209
The Use of Monochlorobimane to Determine Hepatic GSH Levels and Synthesis <i>José C. Fernández-Checa and Neil Kaplowitz</i>	212
EQUIL: Simulation and Data Analysis of Binding Reactions with Arbitrary Chemical Models <i>Robert F. Goldstein and Edward Leung</i>	220
An Alternative Method for a Fast Separation of Phosphotyrosine <i>G. Muñoz and S. H. Marshall</i>	233
Identification of Conditioned Medium Proteins from Human Cancer Cells Adapted to Serum-Free Conditions <i>L. Austin Doyle, Lucinda H. Goldstein, Cheryl J. Clingroth, and Frank Cuttitta</i>	238
Staining of Free Sulfhydryl Groups of Proteins after Separation by Isoelectric Focusing of Bio-Rad Standards and Lens Crystallins <i>Johan Bours and Michael H. J. Ahrend</i>	244
A Microtiter-Based Assay for the Detection of Protein Tyrosine Kinase Activity <i>Jeffrey S. Cleaveland, Peter A. Kiener, David J. Hammond, and Bernice Z. Schacter</i>	249
A Multiple-Staining Procedure for the Detection of Different DNA Fragments on a Single Blot <i>Sabine West, Johannes Schröder, and Werner Kunz</i>	254
Determination of 4-Hydroxyproline in Collagen by Gas Chromatography/Mass Spectrometry <i>Edward E. Tredget, Norine Falk, Paul G. Scott, Alan M. Hogg, and John F. Burke</i>	259

The Preparation of Highly Enriched Fractions of Binucleated Rat Hepatocytes by Centrifugal Elutriation and Flow Cytometry	<i>Reginald Davies, Kelvin Cain, Richard Edmund Edwards, Roger Thomas Snowden, Robert Francis Legg, and Gordon Edward Neal</i>	266
Skeletal Keratan Sulfate Chain Molecular Weight Calibration by High-Performance Gel-Permeation Chromatography	<i>John M. Dickenson, Haydn G. Morris, Ian A. Nieduszynski, and Thomas N. Huckerby</i>	271
A Combustion Method for the Simultaneous Determination of ^3H , ^{14}C , and ^{35}S in Triply Labeled Organic Samples by Liquid Scintillation Counting	<i>Kazumi Saito, Hideo Miyatake, and Norio Kurihara</i>	276
Separation and Quantitation of the Polyamine Biosynthesis Inhibitor D,L- α -Difluoromethylarginine and Other Guanidine-Containing Compounds by High-Performance Liquid Chromatography	<i>Karl J. Hunter and Alan H. Fairlamb</i>	281
Determination of Catechol O-Methyltransferase Activity in Relation to Melanin Metabolism Using High-Performance Liquid Chromatography with Fluorimetric Detection	<i>N. P. M. Smit, A. Pavel, A. Kammeyer, and W. Westerhof</i>	286
Amplification, Detection, and Automated Sequencing of Gibbon Interleukin-2 mRNA by <i>Thermus aquaticus</i> DNA Polymerase Reverse Transcription and Polymerase Chain Reaction	<i>A. L. Shaffer, W. Wojnar, and W. Nelson</i>	292
Biotin-Conjugated Reagents as Site-Specific Probes of Membrane Protein Structure: Application to the Study of the Human Erythrocyte Hexose Transporter	<i>Mark R. Deziel and Meredith M. Mau</i>	297
A Firefly Luciferase Assay for Subnanomolar Concentrations of Amphipathic Substances	<i>Shokofeh Naderi and Donald L. Melchior</i>	304
Determination of α -Keto Acids Including Phenylpyruvic Acid in Human Plasma by High-Performance Liquid Chromatography with Chemiluminescence Detection	<i>Toshihiro Nakahara, Junichi Ishida, Masatoshi Yamaguchi, and Masaru Nakamura</i>	309
A Universal Primer Mixture for Sequence Determination at the 3' Ends of cDNAs	<i>Ray Thweatt, Samuel Goldstein, and Robert J. Shmookler Reis</i>	314
Quantification of Monoclonal Antibodies in Complex Mixtures by Protein G High-Performance Liquid Affinity Chromatography	<i>Gregory S. Blank and David Vetterlein</i>	317
Spin-Trapping of Superoxide by 5,5-Dimethyl-1-pyrroline N-Oxide: Application to Isolated Perfused Organs	<i>Sovitj Pou and Gerald M. Rosen</i>	321
Monitoring Mammalian Genome Rearrangement with Mid-Repetitive Sequences as Probes	<i>Lo-Chun Au, Paul O. P. Ts'o, and Ming Yi</i>	326
Detection of Protein-DNA Complex Formation by Time-Resolved Fluorescence Depolarization of Bound Ethidium Bromide	<i>James Cook, Gary Holtom, and Ponzy Lu</i>	331
Synthesis of Phosphotyrosyl-Containing Phosphopeptides by Solid-Phase Peptide Synthesis	<i>Gustavo Zardeneta, Dali Chen, Susan T. Weintraub, and Robert J. Klebe</i>	340
The Small-Scale Production of $[\text{U-}^{14}\text{C}]$ Acetylene from $\text{Ba } ^{14}\text{CO}_3$: Application to Labeling of Ammonia Monooxygenase in Autotrophic Nitrifying Bacteria	<i>Michael R. Hyman and Daniel J. Arp</i>	348
Electrochemical Determination of Diphenol Oxidase Activity Using High-Pressure Liquid Chromatography	<i>Jianyong Li, Bruce M. Christensen, and James W. Tracy</i>	354
Microtiter Plate Assay for the Measurement of Glutathione and Glutathione Disulfide in Large Numbers of Biological Samples	<i>Margaret A. Baker, George J. Cerniglia, and Aziza Zaman</i>	360
Author Index for Volume 190		366

NOTICE

The Subject Index for Volume 190 will appear in the December 1990 issue as part of a cumulative index for the year 1990.



Digitized by the Internet Archive
in 2026

ANALYTICAL BIOCHEMISTRY

Methods in the Biological Sciences

INFORMATION FOR AUTHORS

Analytical Biochemistry is an international journal that publishes original articles on methods and methodology of interest to the biological sciences and all fields that impinge on biochemical investigation. In addition to the expected techniques that apply to biochemical preparations and analysis, the following should be considered as within the scope of the journal:

- Cell biology and cell, tissue, and organ culture methods that are of general application.

- Membranes and membrane proteins. These methods form a major section of interest.

- Procedures of interest in the field of molecular genetics including those necessary for cloning, sequencing, and synthesis of nucleic acids and for mutagenesis.

- Purification of enzymes and other proteins, but only if the methods are both novel and applicable generally, i.e., the interest is in a means of purification rather than in the protein that is being purified.

- Immunological techniques both analytical and preparative, if they are of general applicability by biochemists. Immunoassays are included but only if a unique approach is introduced rather than the determination of a substance not previously assayable.

- Pharmacological and toxicological research techniques that offer a biochemical approach.

- Review articles dealing with timely topics. Although these are generally invited, unsolicited outlines or manuscripts will be considered.

Manuscripts are accepted for review with the understanding that the same work has not been and will not be nor is presently submitted elsewhere, and that its submission for publication has been approved by all of the authors and by the institution where the work was carried out; further, that any person cited as a source of personal communications has approved such citation. Written authorization may be required at the Editor's discretion. Articles and any other material published in **Analytical Biochemistry** represent the opinions of the author(s) and should not be construed to reflect the opinions of the Editor(s) and the Publisher.

Authors submitting a manuscript do so on the understanding that if it is accepted for publication, copyright in the article, including the right to reproduce the article in all forms and media, shall be assigned exclusively to the Publisher. The Publisher will not refuse any reasonable request by the author for permission to reproduce any of his or her contributions to the journal.

Address. Manuscripts should be submitted in quadruplicate to:

Analytical Biochemistry

Editorial Office
Seventh Floor
1250 Sixth Avenue
San Diego, California 92101

In the case of rejected manuscripts, only one copy of the manuscript will be returned to the author.

An extended Instructions to Authors is published in the July issue during odd-numbered years. Reprints are available from the Editorial Office. Authors should consult this Information for details on nomenclature, IUPAC-IUB rules and recommendations, and accepted abbreviations.

Manuscripts should be concise and consistent in style, spelling, and use of abbreviations. In order to facilitate the processing of manuscripts, the journal requests that at least four copies be submitted, each copy to include all figures (originals or glossy prints) and tables. The original copy must be typewritten, double-spaced, on one side of white bond paper, about $8\frac{1}{2} \times 11$ inches in size, with one-inch margins on all sides. Each manuscript should have a separate title page noting title of article, authors' names (without degrees), complete affiliations, a running title (not exceeding 55 letters and spaces), an abstract (250 words), the address to which proofs should be mailed, and the corresponding author's telephone number and fax or telex number. In creating a title for your paper, please omit words such as *novel*, *rapid*, *improved*, *simple*, *sensitive*, *efficient*, *convenient*, *new*. Each is felt to be redundant and actually slows down the reader who is scanning the article titles and wants to know more about the method itself. Please substitute informative words that will give readers a more complete idea of the usefulness of your paper with regard to the limitations of their equipment or sample type. Abbreviations should not be used in the article title or running title. Please number all pages of the manuscript. The appropriate subject category should be indicated on the title page.

Text. The suggested organization of an article is: abstract; introductory statement; Materials and Methods; Results; Discussion; Acknowledgments; References. Some of these sections may be combined if the presentation is thereby made clearer or more effective. Although this is the general form, the journal will accept variation from it but does require an abstract.

Names of chemical or organic substances should follow the recommendations of the IUPAC-IUB Joint Combined Commission on Biochemical Nomenclature (JCBN) as published in the extended Instructions for Authors, appearing in the July issue of this journal during odd-numbered years.

Authors should draw attention to any particular chemical or biological hazards that may be involved in carrying out the experiments described. Any relevant safety precautions should be described; if an accepted code of practice has been followed, a reference to the relevant standards should be given.

Figures should be numbered consecutively with Arabic numerals in order of mention in the text: each figure should have a descriptive legend. Legends should be typed together on a separate sheet, double-spaced. All illustrations should be in finished form ready for photoreproduction. A convenient size for drawings is $8\frac{1}{2} \times 11$ in. (21×27.5 cm). They should be planned to fit the proportion of the printed page ($7\frac{1}{8} \times 9$ in.; column width, $3\frac{1}{2}$ in.). Lettering on drawings should be of professional quality or generated by *high-resolution* computer graphics and should be large enough that in the printed version the lettering is 6–8 point. Except for single-letter part designations lettering on printed figures should not be larger than 10 points. Wide variation in type sizes is undesirable. If, after reduction, the type in the figures would be larger than the type in the text, then publication of the article may be delayed. Drawings should be made with India ink on tracing linen, smooth surface white paper, or Bristol board. Alternatively, *high-quality* computer graphics may be acceptable. Graph paper if used should be ruled in blue. Grid lines that are to show in the final reproduction should be inked in black. Properly prepared glossy prints are acceptable.

Photographs must be kept to a minimum. All photographs should be submitted as single glossy prints with strong contrasts and not mounted on cardboard; the magnification should be indicated by a scale where possible. Simple histograms should be avoided. A table or a paragraph in the text is preferred.

Illustrations in color can be accepted only if the authors defray the cost.

Tables should be typed on separate pages, numbered consecutively with Arabic numerals in order of mention in the text. Each table should have a short explanatory title.

Authors may wish to submit complex tables or sequence information as camera-ready copy. In this way, they are spared tedious proofreading and the chance of error is reduced. Tables submitted as camera-ready copy should be typed single-spaced whenever possible, and preferably submitted as 5×7 -in. glossy prints.

Footnotes should be designated in text by superscript numbers and typed on a separate sheet following the References. Footnotes to tables should be identified with lowercase italic superscript letters and placed at the bottom of the table.

References to the literature should be cited in the text by Arabic numerals in parentheses and listed at the end of the paper in consecutive order. Whenever reference is made to an author's manuscript "in press," copies of the manuscript must be included. Abbreviations of journal titles should follow the style used in *Chemical Abstracts Service Source Index*, 1985. Please note style of capitalization and punctuation for journal articles and edited books in the following examples:

1. Mitchell, L. G., and Merrill, C. R. (1989) *Anal. Biochem.* **178**, 239–242.
2. Bovey, F. A., and Jelinski, L. W. (1983) *Chain Structure and Conformation of Macromolecules*, p. 150, Academic Press, New York.
3. Kaminsk, L. S. (1985) in *Bioactivation of Foreign Compounds* (Anders, M. W., Ed.), pp. 157–175, Academic Press, Orlando, FL.

Proofs. Proofs will be sent to the authors with reprint order forms. Fifty reprints of each article are provided free of charge. Additional reprints may be ordered using the form provided.